



## Path Tracing Analytics

unleashing underlay visibility

Clarence Filsfils, Pablo Camarillo, Ahmed Abdelsalam, Sonia Ben Ayed

#### **ECMP** Analytics

#### Detects


- Blackholing paths
- An ECMP path that is not expected (routing/dataplane corruption)
- Incoherent latency between ECMP paths
- Measures
  - End-to-end latency of each path (60µsec in WAN, 200ns in DC)
- Current technique of sending probes from anywhere to anywhere without any PT data requires AI processing of huge data sets

## Demo

# Blackholing Path Detection


### Corruption causing blackholes

- Hardware corruption on DEN
  - Traffic to NYC via CHI is dropped.



#### ECMP Analytics SFO -> NYC


25% of ECMP paths are blackholing.




### Non-expected/Wrong path Detection

### Corruption causing non-expected path

- Hardware/FIB corruption on DAL.
  - Traffic to NYC is taking a wrong path.




### ECMP Analytics SFO -> NYC




### Non-homogeneous latency Detection

### Corruption causing non-homogeneous latency



### ECMP Analytics SFO -> NYC



#### Conclusion

- Path Tracing is another innovation solving a 40-year problem
- Significant applicability: transport assurance
  - Latency & Jitter
- Shipping and in deployment
- Rich Eco-System
  - Opensource implementations available
- Path Tracing Analytics :
  - Many use-cases
  - ECMP demo ready



The bridge to possible